

CST[®]

**WHERE PASSION
MEETS THE GROUND**

**ALL-SEASON
WINTER**



2022-23

www.cstires.com


www.cstires.eu

MEDALLION ALL SEASON ACP1

Your turn to dominate the weather

The Medallion All Season ACP1 truly lives up to the name by providing ultimate performance in all seasons.

With excellent braking ability and efficient water dispersal it offers maximum grip in the wet and snow for a safer ride all year round.



- V-shaped lateral grooves optimise water dispersal and snow traction
- Two wavy longitudinal grooves provide additional effective water dispersal
- Uni-directional pattern design delivers optimal handling performance
- Full-silica compound provides excellent braking ability, even on slippery surfaces, keeping braking distances short in all conditions
- 3D sipes in the tread pattern enhance rigidity for impressive handling performance all year round
- Alternating pitch design reduces pattern noise and delivers balanced performance



AVAILABLE SIZES

Rim/Aspect Ratio	Size	Load./SpeedRating	Approved Rim Width (in)	RR	WG	dB	
13	65	155/65R13 73T	4.5-(4.5)-5.5	D	C	B 71	
	70	155/70R13 75T	4.0-(4.5)-5.0	D	C	B 71	
		165/70R13 79T	4.0-(5.0)-5.5	D	C	B 71	
14	80	155/80R13 83T XL	4.0-(4.5)-5.0	C	C	B 71	
	60	185/60R14 82H	5.0-(5.5)-6.5	D	B	B 71	
		65	155/65R14 75T	4.5-(4.5)-5.5	D	C	B 71
			165/65R14 79T	4.5-(5.0)-6.0	D	C	B 71
			165/65R14 83H XL	4.5-(5.0)-6.0	D	C	B 71
		175/65R14 82T	5.0-(5.0)-6.0	C	B	B 71	
		185/65R14 86H	5.0-(5.5)-6.5	D	B	B 71	
		165/70R14 81T	4.0-(5.0)-5.5	D	C	B 71	
	70	175/70R14 88T XL	4.5-(5.0)-6.0	D	B	B 71	
		175/70R14 88H XL	4.5-(5.0)-6.0	D	B	B 71	
15	50	195/50R15 86V XL	5.5-(6.0)-6.5	D	B	B 71	
		175/55R15 77H	5.0-(5.5)-6.0	D	B	B 71	
		185/55R15 82H	5.0-(6.0)-6.5	C	B	B 71	
	55	195/55R15 89V XL	5.5-(6.0)-6.5	D	B	B 71	
		175/60R15 81H	5.0-(5.5)-6.0	D	B	B 71	
		185/60R15 88H XL	5.0-(5.5)-6.5	C	B	B 71	
	60	195/60R15 88H	5.5-(6.0)-7.0	C	B	B 71	
		165/65R15 81T	4.5-(5.0)-5.5	D	C	B 71	
		165/65R15 81H	4.5-(5.0)-5.5	D	C	B 71	
		175/65R15 88H XL	5.0-(5.0)-6.0	D	B	B 71	
		185/65R15 88H	5.0-(5.5)-6.5	C	B	B 71	
		185/65R15 92H XL	5.0-(5.5)-6.5	C	B	B 71	
		195/65R15 95V XL	5.5-(6.0)-7.0	C	B	B 71	
	45	195/45R16 84V XL	6.0-(6.5)-7.0	D	B	B 71	
		205/45R16 87V XL	6.5-(7.0)-7.5	D	B	B 71	
50		185/50R16 81V XL	5.0-(6.0)-6.5	D	B	B 71	
		195/55R16 91V XL	5.5-(6.0)-7.0	C	B	B 71	
		205/55R16 94V XL	5.5-(6.5)-7.5	C	B	B 71	
		215/55R16 97V XL	6.5-(7.0)-7.5	C	B	B 71	
55	225/55R16 99V XL	6.0-(7.0)-8.0	D	B	B 71		
	185/60R16 86V	5.0-(5.5)-6.5	C	B	B 71		
	60	205/60R16 96V XL	5.5-(6.0)-6.5	C	B	B 71	
		215/60R16 99V XL	6.0-(6.5)-7.0	C	B	B 71	
65	215/65R16 102V XL	5.5-(6.0)-6.5	C	B	B 71		
	17	205/45R17 88V XL	6.5-(7.0)-7.5	D	B	B 71	
		205/45ZR17 88W XL	6.5-(7.0)-7.5	D	B	B 71	
		215/45R17	(7.0)-7.5	D	B	B 71	

NEW

NEW
NEW

NEW

Rim/Aspect Ratio	Size	Load./SpeedRating	Approved Rim Width (in)	RR	WG	dB
17	45	215/45ZR17 91W XL	(7.0)-7.5	D	B	B 71
		225/45R17 94V XL	7.0-(7.5)-8.0	C	B	B 71
		225/45ZR17 94W XL	7.0-(7.5)-8.0	C	B	B 71
	50	205/50R17 93V XL	6.0-(6.5)-7.0	D	B	B 71
		205/50ZR17 93W XL	6.0-(6.5)-7.0	D	B	B 71
		215/50R17 95V XL	6.5-(7.0)-7.5	D	B	B 71
		215/50ZR17 95W XL	6.5-(7.0)-7.5	D	B	B 71
		225/50R17 98V XL	6.5-(7.0)-7.5	C	B	B 71
		225/50ZR17 98W XL	6.5-(7.0)-7.5	C	B	B 71
		235/50R17 100V XL	7.0-(7.5)-8.0	C	B	B 71
	55	205/55R17 95V XL	6.0-(6.5)-7.0	C	B	B 71
		215/55R17 98V XL	6.5-(7.0)-7.5	C	B	B 71
215/55ZR17 98W XL		6.5-(7.0)-7.5	C	B	B 71	
225/55R17 101V XL		6.5-(7.0)-7.5	C	B	B 71	
225/55ZR17 101W XL		6.5-(7.0)-7.5	C	B	B 71	
235/55R17 103V XL		7.0-(7.5)-8.0	C	B	B 71	
18	40	225/40R18 92V XL	7.5-(8.0)-8.5	D	B	B 71
		225/40ZR18 92W XL	7.5-(8.0)-8.5	D	B	B 71
		245/40R18 97V XL	8.0-(8.5)-9.0	D	B	B 71
	45	245/40ZR18 97W XL	8.0-(8.5)-9.0	D	B	B 71
		225/45R18 95V XL	7.0-(7.5)-8.0	D	B	B 71
		225/45ZR18 95W XL	7.0-(7.5)-8.0	D	B	B 71
	50	235/45ZR18 98W XL	7.5-(8.0)-9.0	D	B	B 71
		245/45R18 100V XL	7.5-(8.0)-8.5	D	B	B 71
		245/45ZR18 100W XL	7.5-(8.0)-8.5	D	B	B 71
		225/50R18 99V XL	6.5-(7.0)-7.5	C	B	B 71
55	225/50ZR18 99W XL	6.5-(7.0)-7.5	C	B	B 71	
	235/50R18 101V XL	7.0-(7.5)-8.0	C	B	B 71	
	235/50ZR18 101W XL	7.0-(7.5)-8.0	C	B	B 71	
	215/55R18 99V XL	6.0-(7.0)-7.5	C	B	B 71	
	225/55ZR18 102W XL	6.0-(7.0)-8.0	C	B	B 71	
60	235/55R18 104V XL	7.0-(7.5)-8.0	C	B	B 71	
	235/55ZR18 104W XL	7.0-(7.5)-8.0	C	B	B 71	
	235/60ZR18 107W XL	6.5-(7.0)-8.5	B	B	B 71	
	19	245/40ZR19 98W XL	8.0-(8.5)-9.5	C	B	B 71
		245/45ZR19 102W XL	7.5-(8.0)-9.0	C	B	B 71
		255/50R19 107V XL	7.5-(8.0)-8.5	C	B	B 71
55	255/50ZR19 107W XL	7.5-(8.0)-8.5	C	B	B 71	
	235/55R19 105V XL	7.0-(7.5)-8.0	C	B	B 71	
	235/55ZR19 105W XL	7.0-(7.5)-8.0	C	B	B 71	

NEW

NEW
NEW

NEW
NEW
NEW

MEDALLION WINTER WCP1

Significantly improves
winter driving safety

The Medallion Winter WCP1 is the ultimate winter tire. Full-silica compound provides excellent braking ability and shortens braking distances for your safety.

The special winter compound combined with a specially designed pattern delivers optimal performance in the most extreme winter conditions.

-  EXCELLENT WINTER GRIP
-  OUTSTANDING BRAKING
-  RELIABLE COLD WEATHER PERFORMANCE


- Wide V-shape lateral grooves improve water dispersion and snow traction
- Uni-directional pattern design provides optimal handling performance
- Full-silica compound shortens the braking distance as much as possible for a safe journey
- Longitudinal interlocking jigsaw pattern improves carcass rigidity for better handling performance in winter conditions
- 3D zig-zag sipes increase the number of biting edges to improve grip in all road conditions




AVAILABLE SIZES

Rim/Aspect Ratio	Size	Load./SpeedRating	Approved Rim Width (in)	RR	WG	dB
13	65 155/65R13	73T	4.5-(4.5)-5.5	D	C	B 71
	70 155/70R13	75T	4.0-(4.5)-5.0	D	C	B 71
	80 155/80R13	83T XL	4.0-(4.5)-5.0	D	C	B 71
14	60 185/60R14	82T	5.0-(5.5)-6.5	D	B	B 71
	155/65R14	75T	4.5-(4.5)-5.5	D	C	B 71
	165/65R14	79T	4.5-(5.0)-6.0	D	C	B 71
	65 165/65R14	83T XL	4.5-(5.0)-6.0	D	C	B 71
	175/65R14	82T	5.0-(5.0)-6.0	D	B	B 71
	185/65R14	86T	5.0-(5.5)-6.5	D	B	B 71
15	70 165/70R14	81T	4.0-(5.0)-5.5	D	C	B 71
	175/70R14	88T XL	4.5-(5.0)-6.0	D	B	B 71
	55 185/55R15	86H XL	5.0-(6.0)-6.5	D	B	B 71
16	60 185/60R15	88H XL	5.0-(5.5)-6.5	D	B	B 71
	195/60R15	88H	5.5-(6.0)-7.0	D	B	B 71
	175/65R15	88H XL	5.0-(5.0)-6.0	D	B	B 71
	65 185/65R15	88T	5.0-(5.5)-6.5	D	B	B 71
	195/65R15	91T	5.5-(6.0)-7.0	D	B	B 71
	45 195/45R16	84V XL	6.5-(6.5)-7.0	D	B	B 71
17	55 195/55R16	91V XL	5.5-(6.0)-6.5	C	B	B 71
	205/55R16	91H	5.5-(6.5)-7.5	C	B	B 71
	215/55R16	97V XL	6.5-(7.0)-7.5	C	B	B 71
	225/55R16	99H XL	6.0-(7.0)-8.0	C	B	B 71
	60 205/60R16	96V XL	5.5-(6.0)-6.5	D	B	B 71
	215/60R16	99V XL	6.0-(6.5)-7.0	C	B	B 71
18	40 215/40R17	87V XL	7.0-(7.5)-8.0	D	B	B 71
	215/45R17	91V XL	(7.0)-7.5	D	B	B 71
	45 225/45R17	94V XL	7.0-(7.5)-8.0	D	B	B 71
	225/45ZR17	94W XL	7.0-(7.5)-8.0	D	B	B 71
	50 205/50R17	93V XL	6.5-(6.5)-7.0	D	B	B 71
	225/50R17	98V XL	6.5-(7.0)-7.5	C	B	B 71
19	235/50R17	100V XL	7.0-(7.5)-8.0	D	B	B 71
	205/55R17	95V XL	6.5-(6.5)-7.0	C	B	B 71
	235/55R17	103V XL	7.0-(7.5)-8.0	C	B	B 71
	40 225/40R18	92V XL	7.5-(8.0)-8.5	D	B	B 71
	225/40ZR18	92W XL	7.5-(8.0)-8.5	D	B	B 71
	245/40R18	97V XL	8.0-(8.5)-9.0	D	B	B 71
20	245/40ZR18	97W XL	8.0-(8.5)-9.0	D	B	B 71
	45 225/45R18	95V XL	8.0-(8.5)-9.0	D	B	B 71
	225/45ZR18	95W XL	7.0-(7.5)-8.0	D	B	B 71
	245/45R18	100V XL	7.0-(7.5)-8.0	D	B	B 71
	245/45ZR18	100W XL	7.5-(8.0)-8.5	C	B	B 71
	50 225/50R18	99V XL	6.5-(7.0)-7.5	D	B	B 71
21	225/50ZR18	99W XL	6.5-(7.0)-7.5	C	B	B 71
	235/50R18	101V XL	7.0-(7.5)-8.0	C	B	B 71
	235/50ZR18	101W XL	7.0-(7.5)-8.0	C	B	B 71
	55 235/55R18	104V XL	7.0-(7.5)-8.0	C	B	B 71
	235/55ZR18	104W XL	7.0-(7.5)-8.0	C	B	B 71
	50 255/50R19	107V XL	7.5-(8.0)-8.5	C	B	B 71
22	255/50ZR19	107W XL	7.5-(8.0)-8.5	C	B	B 71
	55 235/55R19	105V XL	7.0-(7.5)-8.0	C	B	B 71
	235/55ZR19	105W XL	7.0-(7.5)-8.0	C	B	B 71


WET BRAKING DISTANCE



WET HANDLING – LAP TIME



DRY BRAKING DISTANCE



BEST OUT OF 16 CANDIDATES IN ALL THREE CATEGORIES Tested by Tekniikan Maailma (Finland)



REASSURINGLY IMPRESSIVE
BRAKING PERFORMANCE

HIGH STRENGTH FOR OUTSTANDING
LOADING CAPACITY

NEW

VAN MASTER ALL SEASON ACT1

For all-year-round reliability

- Three main grooves provide excellent water dispersal
- Wavy sipes on the shoulders deliver extra grip on wet and snowy roads
- Lateral grooves enhance handling on wet surfaces
- Advanced silica compound improves braking performance, especially in the wet
- Special pattern design reduces resonance for a quieter journey
- High-strength belt design provides safer driving and durability
- Highly rigid structure offers outstanding load capacity for commercial applications
- Low-heat-generation technology improves durability for longer tyre life



AVAILABLE SIZES

Rim	Size	Load./SpeedRating	Approved Rim Width (in)	Max Load (kg)	Max Pressure (PSI)	RR	WG	dB
15	195/70R15C	104/102T	5.0-(5.5)-6.0	S900/D850	65	-	A B	71
	215/70R15C	109/107T	5.5-(6.0)-7.0	S1030/D975	65	-	A B	73
	225/70R15C	112/110R	6.0-(6.5)-7.0	S1120/D1060	54	-	A B	73
16	195/60R16C	99/97H	5.5-(6.0)-6.5	S755/D730	54	-	A B	71
	215/60R16C	108/106T	6.0-(6.5)-7.0	S1000/D950	69	C	A B	73
	205/65R16C	107/105T	5.5-(6.0)-6.5	S975/D925	69	C	A B	71
	215/65R16C	109/107T	6.0-(6.5)-7.0	S1030/D975	69	C	A B	73
	225/65R16C	112/110T	6.0-(6.5)-7.0	S1120/D1060	69	C	A B	73
	235/65R16C	121/119T	6.5-(7.0)-7.5	S1450/D1360	83	C	A B	73
	195/75R16C	110/108S	5.0-(5.5)-6.0	S1060/D1000	76	C	A B	71
	215/75R16C	116/114R	5.5-(6.0)-7.0	S1250/D1180	76	-	A B	73
17	225/75R16C	121/120R	6.0-(6.5)-7.0	S1450/D1400	83	-	A B	73
	225/55R17C	109/107H	6.5-(7.0)-7.5	S1030/D975	69	C	A B	73
	215/60R17C	109/107T	6.0-(6.5)-7.0	S1030/D975	69	C	A B	73